Tscan TS-200P

Specialized, Pioneer, Revolution, Technology

POS

PRINTER SOLUTIONS

>> Receipt Printer

80MM POS PRINTER

119mm

120mm

165mm

Advantages :

- Industrialized design, small size, powerful function, multiple interfaces
- With auto cutter, support 80mm large paper roll
- Support voice broadcast function
- Integrated design of key board and main board
- 1 meter drop test
- Fully enclosed design of the paper bin, prevents water from flowing onto the main board

Application Scenarios :

Tax

Receipt

Retail

POS

Catering

Garment

SPECIFICATIONS

TS-200P
Professional 80mm POS Receipt Printer

Print Method	Thermal line
Resolution	8dots/mm(203 dpi), 576dots/line
Print Speed	180mm/s (25%Printing Density)
Paper Width	79.5±0.5mm
Self-defined Characters	Yes
Spanish	12×24 Points
Chinese	24×24 Dots
Interface	USB+Ethernet
Support Functions	Paper Out Alarm, Overheating Protection, Voice Broadcast
Cash Drawer Control	DC24V,1A,6-wire RJ-11socket
Power Requirements	DC24V±10%,1.25A, A-1009-3P Power Socket
Paper Type	Thermal Paper 79.5×φ80mm(MAX)
Paper Thickness	0.06mm~0.08mm
Maximum Outer Diameter	φ80mm
Minimum Inner Diameter	φ13mm
Paper Loading Method	Easy Loading
Paper Cutting Method	Half Cut
Auto Cutter	1,500,000 cuts
Appearance Size	165mm×120mm×119mm(L×W×H)
Character Set	ASCII,GB18030(Chinese),BIG5,Codepage
TPH	150KM
Operation Temp/Humidity	5℃～50℃/10%～80%
Storage Temp/Humidity	-20℃～60℃ /10%～90%